
QUOTATION SHEET



| | 13 mm | 13 | 27-30 | 0.7-1.0 | | 7. 1 1 | The state of the s | | | |
|----------------|---------------|-----------------|-------|---------|-------|-----------|--|--|--|--|
| | 16 mm | 16 | 27-30 | 0.7-1.0 | | | | | | |
| Technical data | 19 mm | 19 | 27-30 | 0.7-1.0 | | I sh av a | | | | |
| | Feeding L | 260 mm | | | | | | | | |
| | Production | 60-80 PC/MINUTE | | | | | | | | |
| | rate | | | | | | | | | |
| | Motor power | 1.1 kw | | | | | | | | |
| | Voltage plans | V | | | Phase | | HZ | | | |
| | A plan | 380 | 880 | | | | 60 | | | |
| | B plan | 220 | | | 3 | | 60 | | | |

| Technical data | C plan | 220 | Single phase | | |
|----------------|------------------|---|----------------------|--|--|
| Accessories | Cutter of Sprin | ng Steel: 2 pieces | SKDII 12 tum 39 mm | | |
| | Teeth plate of | Japanese tool steel SKD-2, 2 pieces. | | | |
| | Steel coil (opti | onal, 100 USD/set), for 200 KG coil holding | | | |

Steel coils, 5 tons, after slit into 140 kg/per coil, 880 USD/per ton (optional if load with container, better load together with steel coils for starting of production as soon as the machine and steel coil arrive)



| Net Weight | 600 KG | | | | |
|----------------|---|--|--|--|--|
| Gross Weight | 650 KG | | | | |
| Machine Size | 1400x750x1250 | | | | |
| Packing Size | 1500x800x 1350 | | | | |
| Packing method | Plywood box with reinforced steel structure | | | | |
| Lead time | 3-4 weeks after advance payment 30% | | | | |
| | One-year guarantee period, except quick-wear parts and natural damage or caused by human errors. | | | | |
| Payment term | 30% advance payment by T/T before production | | | | |
| | 7-% balance against confirmation of samples and videos from the completed machine testing. before shipping. | | | | |
| Unite price | FOB China Port (please your email to zjaska@vip.163.com for detailed quotation, thanks!) | | | | |
| USD /set/FOB | | | | | |