




STRAP BUCKLE MACHINE



(1)Machine Name	13 16 19 WIRE SEAL MACHINE
(2)Model No.	P-131619
(3) Wire buckle size:	(2.8-4.0 mm thickness)
(4)Feeding length:	260mm
(5) .Motor Power:	1.1w
(6) Power:	(A) 380V, 3P,50HZ (B) 220 v 3P, 60 Hz
(7).Production rate:	60pcs/minute
(8) Accessories:	removable cutter two pieces, spring two pieces, rubber belt one piece
(9) Net Weight	650 KG
(10) Machine Size	2.5 M3
(11) packing	Wood box packing with steel wire re-enforced inside
(12) installing	By foot screw under the machine with ground bolts

Shape of the buckle 13 mm	
Weight of 13 Size of 13	

	
Weight of the buckle	
Weight of 16 buckle	

Size of 16 buckle	
Weight of 19 mm buckle	

Size of 19 buckle



Machine packed



Automatic counter with production numbers control



Optional selection: Optional selection of the dual purpose of steel wire un-coiler with pallet underneath for 800 kg wire coils Weight, 120 kg, packed box, 1.2 M2 Price is 180 usd/set. If you need this we will supply you with the same design.	
Spare parts: 13 parts (1) one cutting mold (2) one forming bottom mold (3) two core plates (4) one core plate seat (5) one Discharge blocking plate (6) one cutting blade (7) two bottom plates (8) one feeding tube 16 parts: (1) one cutting mold (2) one forming bottom mold (3) two core plates (4) one core plate seat (5) one Discharge blocking plate (6) one cutting blade (7) two bottom plates 19 parts: (1) one cutting blade (2) one core plate (3) two bottom plates (4) four inner pushing arms	
Packing of the machine	Weight : 650 kg Machine packing: 2.65 M3 (if need un-coiler) un-coiler: 1.5 M3, 100 kg

EC declaration of conformity

EC DECLARATION OF CONFORMITY

HOLDER

WENZHOU CHANGS INTERNATIONAL
ROOM 604, FUJIA BUILDING, YULINJIA, LUCHENG, WENZHOU, ZHEJIANG, CHINA

HEREBY DECLARES THAT THE PRODUCT DESCRIBED BELOW:

PRODUCT NAME: SEAL MACHINE

MODEL: FR-1, FR-2, FR-3, FR-4, FR-5, P-13, P-16, P-19, P-25, P-32, P-131619, P-19 32

SERIAL NUMBER: 2023032424591


MANUFACTURING YEAR: 2023

**HAS BEEN DESIGNED AND MANUFACTURED IN COMPLIANCE WITH THE
FOLLOWING EUROPEAN DIRECTIVES:
EMC+MD+LVD**

EUROPEAN HARMONIZED STANDARDS COMPLIED:

EN ISO 12100:2010 , EN 60204-1:2018 , EN IEC 61000-6-3:2021 ,
EN IEC 61000-6-1:2019, EN IEC 61000-6-2:2019

DONE AT
(PLACE):
ZHEJIANG, CHINA



NAME OF THE
SIGNATORY:

ON (DATE):


TITLE:
GENERAL
MANAGER

SIGNATURE AND STAMP: _____

Certified models

FR-1 (Automatic 32 Seal machine)
FR-2 (Automatic 32 Seal with logo machine)
FR-3 (PET seal machine)
FR-4 (PP seal machine)
FR-5 (semi-automatic 32 seal machine)
P-13 (13 Wire seal machine)
P-16 (16 Wire seal machine)
P-19 (19 Wire seal machine)
P-25 (25 Wire seal machine)
P-32 (32 Wire seal machine)
P-131619 (PP strap open seal machine)
P-19 32 (19 and 32 steel strapping seal machine)

PS How to start the machine:

Feeding the wire until the limit	how it is pushed up to the position of the limit plate 
Manual testing forming of buckle	turn the big belt wheel towards down direction until you cut the wire and start to make the buckle 

Forming of buckle
testing



Turn on power
testing

