		Sner	ification & Da	ta			
Machine Name	PUSH TYPE STEEL STRAPING SEAL MACHINE			M.2019.206.C	22559		
Model No.	SSSM-P-	6923	CE REPOR T NO:	TCF no. MICE	Z-1903-0265-MD+LVD		
			CE COVER PAGE	CERTIF	<image/>		
				pe Strapping seal size			
SealWLT19 mm19 mm45-55 mm0.7-1.Technical dataImage: seal of the seal of		T 0.7-1.0					
	25	25 mm	45-55 mm	0.7-1.0			

Technical data	32 mm	32 mm	45-55 mm	0.7-1.0			
	Feeding L	260-400 mm					
	Production	60-90 PC/MIN	NUTE				
	rate						
	Motor power	1.1 kw					
	Voltage plans	V			Phase	HZ	
	A plan	380			3	60	
	B plan	220			3	60	
Technical data	C plan	220			Single phase		
	LOGO mold (optional) 100 USD/set. (If you need LOGO to be embossed on your machine, you may add a LOGO mold for you in the same machine)						
Accessories	Cutter of Spring	g Steel: 3 pieces	5				
	Core-plates par mm	rts 2 pieces. for	each size of 19 25a	nd 32			

	Steel coil (optional), 100 USD/set), for 200 KG coil holding. If you have steel coil holder or de-coiler, you may do not need to select this coil holder, if you do not have you may choose one as your steel coil holder in your production)			
Net Weight	580 KG			
Gross Weight	630 KG			
Machine Size	1400x680x1200			
Packing Size	1500x780x 1300			
Packing method	Plywood box with reinforced steel structure			
Lead time	3-4 weeks after advance payment 30%			
	One-year guarantee period, except quick-wear parts and natural damage or caused by human errors.			
Payment term	30% advance payment by T/T before production			
	70% balance against confirmation of samples and videos from the completed machine testing.			
	before shipping.			