






SPECIFICATION SHEET

Specification & Data

Machine Name	PP STRAPPING SEAL MAKING MACHINE	CE CERTIFICATION NO.:	M.2019.206.C2559
Model No.	PP-1613	CE REPORT NO:	TCF no. MICEZ-1903-0265-MD+LVD
		CE COVER PAGE	
Technical data	Seal size		

Seal	W	L	T	Photo of real PP strapping seals
13 mm	13	26 mm	0.5 mm	
16 mm	16	26 mm	0.5 mm	
Feeding Length	260 mm			
Production rate	60-80 PC/MINUTE			
Motor power	1.1 kw			
We can offer you with all the voltage plans you may select from below voltage plan according to your local power supply system.				

	Voltage plans selection	V	Phase	HZ
	A plan	380	3	60
	B plan	220	3	60
Technical data	C plan	220	Single phase	
Accessories	Cutter of Spring Steel: 2 pieces			
	Molds for both 1/2' and 5/8' PP seal. Core plates, 2 pieces			
	Steel coil (optional, 100 USD/set), for 200 KG coil holding(you may select it or not according to your need)			
Net Weight	600 KG			
Gross Weight	650 KG			

Machine Size	1400x750x1250
Packing Size	1500x800x 1350
Packing method	Plywood box with reinforced steel structure
Lead time	3-4 weeks after advance payment 30% One-year guarantee period, except quick-wear parts and natural damage or caused by human errors.
Payment term	30% advance payment by T/T before production 70% balance against confirmation of samples and videos from the completed machine testing. before shipping.



CHANGS INTERNATIONAL Room 1105,GuoguangMansion Wenzhou, P. R. China TEL:+86-18621090767 zjaska@vip.163.com